

A tractor with a Quickfencer 50 attachment in a field. The tractor is dark-colored and has large, treaded tires. The Quickfencer 50 is a large, rectangular metal frame with a roll of wire on the right side. The background shows trees and a field.

Introducing the **Quickfencer 50.**

THE ALL NEW USA MADE STANDARD 50.

Introducing the new version of the UK designed 'Standard 80'

This all new American built version of the our flagship Quickfencer.

The reason it's the '50' is because it is capable of carrying up to 50" woven wire.

If your application is for horse netting, cattle netting with up to one strand of barb wire on top - this product will serve you perfectly.

The QF50 also now comes as a barbed wire version.

See inside for more details!

Quickfencer is a trademark and is machinery is subject to protection by Patent.

Full details, including our terms of business, are available at:

www.QuickfencerUSA.com

Products

The products consist of the Standard QF50 which can be added to depending on your required application; woven wire or barbed wire.

The joy of our products is, you can add any of the attachments on to the Standard machine - QF50, meaning if your application changes you can add the attachment you need.



THE STANDARD QF50

No matter what your application, you will need the Standard QF50. This stand alone machine will unroll and tension woven wire up to 48".

Attachments available for this model:

- Single Barbed wire attachment
- Double Barbed wire attachment
- Barbed wire arm
- 8ft Quick Clamp Attachment

If you need to fence woven wire higher than that, please see the Quick Clamp attachment which allows you to unroll and tension wire up to 8ft.



SINGLE STRAND BARBED WIRE ATTACHMENT

This addition to the QF50 will allow you to unroll a semi tensioned line of barbed wire over the top of your woven wire at the same time.

If you purchase more than one barbed wire spider, you will be able to move one of the lines over to the woven side to use as seen here.

It pays out the barbed wire semi tensioned and allows the final tension to be achieved manually using a bar. The final tension is then locked using a mechanism while the barbed wire is fixed in place. A very good combination. The attachment is capable of working in both directions. This is a very popular option and can also be fitted to your existing QF50 woven version.

Products

The Barbed wire arm is an addition to the QF50 that allows you to unroll semi-tensioned lines of barbed wire. The clever patented system ensures that up to 5 strands of barbed wire do not get tangled, instead the clutching mechanism inside the barbed wire spider holds the tension which can be manually tightened with a bar when you are finished unrolling.



THESE ARE THE SPOOL HOLDERS FOR YOUR REELS OF BARBED WIRE

THIS IS THE STANDARD QF50 WITH THE WOVEN WIRE HOLDERS ON THE FRONT

THIS IS THE BARB ARM ATTACHMENT WHICH HOLDS YOUR BARB SPIDERS AND THE BARB SPOOL HOLDERS

THIS IS A BARB SPIDER AND YOU CAN FIT UP TO 5 OF THESE ON THIS ARM



BARBED WIRE SPIDERS

The barbed wire spiders should be purchased individually depending on how many strands you wish to unroll.

The Barbed wire spiders will attach to:

- The QF50 as a single barb attachment
- Up to 5 strands on the Barbed wire Arm
- Up to 6 strands on the 8ft Quick Clamp Attachment

Products



Quick Clamp Attachment (8ft)

This attachment enables horse, badger and deer netting to be erected and tensioned up to 8ft.

The tensioning system for the taller wires uses a patented clamping system instead of the normal Quickfencer swinging arm system. This clamping system lets you stop short of the straining post, tension the netting then tie off without using staples. Alternatively you can tension past the post and staple the netting.

The Quick Clamp Attachment works with:

- The QF50
- Can fit up to 6 barbed wire spiders



The Quickfencer Standard 50 comes with a three point hitch linkage and this patented machine does not require and external power. The QF50 is designed with simplicity and does not rely on hydraulics which ensures 100% reliability and durability.

If you need a different attachment for your machine, we can certainly work with you on that - Just ask!

Please note; Some US built machines have been modified slightly to better accommodate needs and may vary from the pictures as shown. Feel free to contact us for more information.

Products

A WORD ABOUT DISTRIBUTION...



We manufacture and distribute the Quickfencer from Colfax, WA.

We sell direct, without the use of dealers. The reason we do that is to keep the prices for you as competitive as possible.

We are not in the business of making money on shipping; we will find you the best shipping price we can. You are always welcome to get your own quotes too and we'll work with that.

Also, if you would like to drive over and visit us to collect your machine, we'd love to see you!

WEIGHTS AND SIZES



The Quickfencer is well built! We don't skimp on steel, some might say she's overbuilt but we expect you to work her hard!

Quickfencer stats:

- **Standard 50** 1300 lbs
- **Barb Arm attachment** 500 lbs
- **Barb spider** 80 lbs
- **Quick Clamp Attachment** 800 lbs

Products

SOCIAL MEDIA

<https://www.facebook.com/quickfencerusa/>

<https://www.youtube.com/channel/UCbQOSULTjKWXzIIAvKy40A>

<https://twitter.com/quickfencerusa>

<https://www.instagram.com/quickfencerusa/>

<https://plus.google.com/110505038680409110361/videos>



CONTACT US:

IF YOU HAVE ANY QUESTIONS REGARDING PLACING AN ORDER,
PLEASE GET IN TOUCH...

WWW.QUICKFENCERUSA.COM

TEL: 715-203-0075

E: HELLO@QUICKFENCERUSA.COM

If you are ready to go ahead with your request, you can use the form below
and either email it to us or mail it to:

PO BOX 633, Colfax, Washington 99111

**When we have received your request, we will confirm and send you the
invoice which will detail the payment schedule, shipping cost and lead time.**

